



## Declaration of Performance

**Ref. 0086-CPD-597467**

<i>Product</i>	<b>Dunbrik Mini Clearflow Gas Flue Block System</b>
<i>Designation</i>	T250 N1 D 1 O(75)
<i>Intended Use</i>	For domestic flues jointed with 1581 flue block silicone sealant incorporating Blakbord insulation panel. For conveying products of combustion from heating appliances to the outside atmosphere
<i>Manufacturer</i>	Dunbrik (Yorks) Limited 172 Ferry Lane, Stanley, Wakefield WF3 4LT, UK
<i>In compliance with</i>	EU Construction Products Directive - 89/106/EEC
<i>Performance assessment procedure</i>	System 2+
<i>Harmonised standard</i>	EN 1858:2008 +A1:2011 Chimneys - Components - Concrete flue blocks
<i>Notified Body for the above Directive</i>	BSI Assurance UK Ltd - Notified Body No. 0086
<i>Factory production control</i>	Certificate 0086-CPD-597467 24th June 2013

### Declared performance:

<u>Essential characteristics</u>	<u>Performance</u>
Compressive strength (declared structural height)	20m
Reaction to fire	A1
Flow resistance: Mean roughness	Not applicable
Thermal resistance	Not applicable
Durability: Abrasion	0.022Kg/m <sup>2</sup>
Freeze/thaw resistance:	N.P.D.
Release of dangerous substances:	none

The performance of the above products is in conformity with these declared performances. This declaration of performance is issued under the sole responsibility of Dunbrik (Yorks) Ltd.

Signed for and on behalf of Dunbrik (Yorks) Ltd

**Daniel Shute**  
Director

Issued 28<sup>th</sup> June 2013