

NOVA®

Smooth Satin Black Finish

UK PRICE LIST 1ST MAY 2015 (GBP)

TWIN WALL, INSULATED, STAINLESS STEEL MULTI-FUEL CHIMNEY SYSTEM (Including Condensing Appliances)

BS EN 1856-1 T450 N1 D V2 L50050 G(50)

BS EN 1856-1 T200 P1 W V2 L50050 O(50) (Seals Required)

FOR NOVA SIZES 250MM-350MM, PLEASE REFER TO PAGES 4-6 OF THIS PRICELIST

DESCRIPTION	Vertical Code	100mm 4"	130mm 5"	150mm 6"	180mm 7"	200mm 8"
-------------	---------------	-------------	-------------	-------------	-------------	-------------

STARTING COMPONENTS

Appliance Adaptor	45785	44.79	49.42	52.32	58.42	63.20
Appliance Adaptor (Imperial)	45784	-	38.65	-	48.51	-
80mm to 100ID Appliance Adaptor	45794	96.85	-	-	-	-
130mm to 150ID Appliance Adaptor	45794	-	100.47	-	-	-
123mm to 150ID Appliance Adaptor	45795	-	95.67	-	-	-
Supra / Nova Adaptor	45796	54.49	59.25	64.89	74.31	81.93
Horizontal Code		04NB	05NB	06NB	07NB	08NB

LENGTHS

Length 1500 mm	45799	-	-	308.84	-	-
Length 1000 mm	45750	172.78	197.69	216.68	244.06	269.92
Length 500 mm	45751	132.56	148.22	155.83	179.08	192.93
Length 250 mm	45719	96.95	107.36	108.87	126.62	136.70
Length 120 mm	45753	80.51	85.84	90.98	97.29	107.77
Starter Length - 996mm	45704	-	173.22	187.95	212.30	214.87
Adjustable Length - Long 310 - 500mm (For P1/W 100ID - 250ID, add 2off 40063xx seals)	45746	166.54	172.77	181.52	195.61	214.81
Adjustable Length - Short 210 - 320mm (For P1/W 100ID - 250ID, add 2off 40063xx seals)	45766	162.52	170.09	173.11	188.09	207.02
Damper Length - 250mm Long	45740	161.21	175.37	185.99	197.24	208.50
Horizontal Code		04NB	05NB	06NB	07NB	08NB

TEES / ELBOWS / COMPONENTS

90° Tee	45730	249.35	251.04	271.42	306.83	334.54
95° Tee	45764	260.16	268.80	293.18	328.66	361.93
135° Tee	45765	334.56	418.30	442.82	518.68	557.51
135° Tee (N1/Dry Systems Only)	45701	274.53	334.56	375.01	467.61	513.79
Locking Plug	45791	106.99	109.69	115.01	121.08	132.39
Condensate Collector (Drain Tee Cap)	45769	119.00	123.94	129.40	135.34	141.34
Elbow 15°	45754	146.37	150.31	161.05	170.06	187.03
Elbow 30°	45755	146.37	150.31	161.05	170.06	187.03
Elbow 40°	45756	146.37	150.31	161.05	170.06	187.03
Elbow 45°	45757	146.37	150.31	161.05	170.06	187.03
Elbow 85°	45758	248.31	253.48	262.93	280.36	308.54
Elbow 90°	45759	246.34	250.02	260.31	281.62	298.40
Horizontal Code		04NB	05NB	06NB	07NB	08NB

TERMINALS

Top Stub	45708	63.53	65.76	68.50	71.59	87.16
Top Stub c/w Mesh	45707	125.60	133.00	151.68	156.59	162.64
Round Top	45731	68.00	117.30	125.12	135.69	150.90
Rain Cap	45773	75.30	78.01	81.39	90.71	112.19
Storm Cowl	45787	95.92	106.17	115.92	117.31	124.51
Storm Cowl c/w Mesh	45789	97.73	109.52	120.80	123.72	132.95
Gas Terminal	45524	106.91	107.81	117.11	138.61	146.82
Horizontal Code		04B	05B	06B	07B	08B
Mini Eurocowl - 150mm ID Only	45745	-	-	259.20	-	-
Horizontal Code		04NB	05NB	06NB	07NB	08NB

SUPPORT & BRACING COMPONENTS

Support Plate - Galvanised (includes Support Length)	45714	178.72	196.00	230.55	235.69	264.51
Support Plate - Stainless Steel (includes Support Length)	45717	209.21	226.03	259.95	272.99	305.62
Anchor / Lintel / Pre-Cast Chamber Support Plate c/w 32mm Single Skin Tail	45775	92.55	101.11	124.60	133.43	148.26
Support Length / Guy Attachment Length	45788	147.01	154.19	182.76	184.56	207.76
Horizontal Code		04NB	05NB	06NB	07NB	08NB
Locking Band - Standard	45786	10.39	10.94	11.06	11.20	11.66
Locking Band - Screw Toggle (for Elbows/135° Tees)	45786xxMTB	12.64	12.85	13.00	13.22	13.48
Wall Support Bracket - Galvanised (includes Support Length)	45722	157.32	167.19	188.52	194.66	211.66
Wall Support Bracket - Stainless Steel (includes Support Length)	45723	214.61	230.14	265.15	286.26	311.68
Horizontal Code		04B	05B	06B	07B	08B

DESCRIPTION	Vertical Code	100mm 4"	130mm 5"	150mm 6"	180mm 7"	200mm 8"
-------------	---------------	-------------	-------------	-------------	-------------	-------------

PICK & MIX SUPPORT SYSTEM

Wall Band / Universal Wall Guide Assembly	31095	42.94	46.74	50.08	54.42	57.93
Support Plate Set	31097	43.99	49.42	54.24	61.41	66.37
Horizontal Code		10B	13B	15B	18B	20B

Support Length / Guy Attachment Length	45788	147.01	154.19	182.76	184.56	207.76
Horizontal Code		04NB	05NB	06NB	07NB	08NB

Universal Extension Bracket Set (for 31095xx Wall Guide)	31093	42.94	46.74	54.73		
Universal Bracing Bracket Set (for 31095xx Wall Guide)	31094	57.70	59.59	60.36		
Horizontal Code		STB	MDB	LGB		

*Please see Nova brochure for Pick & Mix Support System product information

MISCELLANEOUS FITTINGS

Concentric/Eccentric Increasers

Concentric Increaser 100ID - 130ID	4573604NB	136.35				
Concentric Increaser 130ID - 150ID	4573605NB	142.36				
Concentric Increaser 150ID - 180ID	4573606NB	154.06				
Concentric Increaser 180ID - 200ID	4573607NB	160.55				
Concentric Increaser 200ID - 250ID	4573608NB	165.46				
Concentric Increaser 100ID - 150ID	4573704NB	138.46				
Concentric Increaser 150ID - 200ID	4573706NB	158.93				

DESCRIPTION	Vertical Code	100mm 4"	130mm 5"	150mm 6"	180mm 7"	200mm 8"
-------------	---------------	-------------	-------------	-------------	-------------	-------------

COMMON COMPONENTS

Penetration Components for Solid Fuel & Oil ≥ 250°C

Roof / Rafter Support (New Design)	70726	89.84	90.52	90.94	91.61	92.03
Ventilated Ceiling Support	70727xxZB	123.54	133.49	140.72	155.14	156.99
Ventilated Firestop Spacer	55083	76.35	84.63	92.87	106.25	123.82
Horizontal Code		10B	13B	15B	18B	20B

Penetration Components for Oil & Gas ≤ 250°C

Ceiling Support	45027	41.42	44.06	49.02	58.64	88.32
Firestop Spacer	45087	7.38	8.59	9.57	10.80	12.81
Horizontal Code		04B	05B	06B	07B	08B

Wall Band - Stainless Steel (for internal & external use)	3115	38.39	39.70	40.61	41.80	42.83
Wall Band - Galvanised (for internal use only)	3116	32.38	32.95	33.37	33.84	34.31
Horizontal Code		154B	185B	205B	234B	255B

Wall Band Side Extension Brackets - Stainless Steel	3119	23.06	23.06	23.06	23.06	23.06
Wall Band Side Extension Brackets - Galvanised	3120	21.14	21.14	21.14	21.14	21.14
Horizontal Code		136B	136B	136B	136B	136B

(min/max extension varies by internal diameter - see brochure for further details)

Roof Support	0102900B	89.56				
Intumescent Sealant (310ml) (Solid Fuel / Oil > 250°C) - NOT Painted	0199900	14.43				
Seal Lubricant Compound (250ml) - NOT Painted	3107500	25.77				

Adjustable Split Bands	3123	57.47	58.81	59.60	61.82	63.87
Horizontal Code		150B	180B	200B	230B	250B

Joint Sealing Ring (For P1 / W Applications) - NOT Painted	40063	1.87	2.21	2.43	2.72	2.93
Horizontal Code		10	13	15	18	20

ANCILLARIES

Storm Collar - Stainless Steel	45041	56.10	60.06	61.12	62.26	63.23
Trim Collar - Stainless Steel	45832	28.38	30.20	32.25	34.53	36.85
Horizontal Code		04B	05B	06B	07B	08B

0° - 10° Angled Wall Cover Ring	55712	-	37.35	42.45	44.02	47.36
10° - 20° Angled Wall Cover Ring	55713	-	37.35	42.45	44.02	47.36
20° - 30° Angled Wall Cover Ring	55700	-	37.35	42.45	44.02	47.36
30° - 40° Angled Wall Cover Ring	55703	-	37.35	42.45	44.02	47.36
40° - 50° Angled Wall Cover Ring	55702	-	40.11	46.58	48.73	51.57
Horizontal Code		10NB	13NB	15NB	18NB	20NB

DESCRIPTION	Vertical Code	100mm 4"	130mm 5"	150mm 6"	180mm 7"	200mm 8"
-------------	---------------	-------------	-------------	-------------	-------------	-------------

FLASHINGS

Alloy Flashings & Storm Collar

Flat Flashing	700000	49.41	51.14	53.99	60.76	64.56
5° - 30° Adjustable Flashing (Low Pitched Roofs)	700530	49.41	51.14	53.99	60.76	64.56
32° - 45° Adjustable Flashing (High Pitched Roofs)	703245	58.85	60.76	64.56	83.54	87.33
Storm Collar (Supplied with Sealant)	701234	24.69	25.65	27.41	31.33	33.24
Horizontal Code		06B	07B	09B	10B	11B

Eco-Pro Flashings (see brochure for more information) - NOT Painted

5° - 30° Adjustable Flashing (Low Pitched Roofs) - NOT Painted	700530	214.31	227.01	242.56	250.92	274.16
32° - 45° Adjustable Flashing (High Pitched Roofs) - NOT Painted	703245	230.10	243.00	258.55	266.91	275.26
Horizontal Code		06P	07P	09P	10P	11P

Seldek Flashings - NOT Painted

Seldek Flashing No.1 (to suit 55mm - 150mm external diameter)	4901015	44.11
Seldek Flashing No.2 (to suit 110mm - 200mm external diameter)	4901020	61.46
Seldek Flashing No.3 (to suit 160mm - 300mm external diameter)	4901030	115.06
Seldek Flashing No.4 (to suit 300mm - 450mm external diameter)	4901045	179.63

Note: A BLACK Locking band is supplied complete with all components where necessary

Use Product Codes when ordering - combine Vertical Code with Horizontal Code.

e.g. Length 1000mm, size 130mm, Vertical Code 45750, Horizontal Code 05NB, Product Code 4575005NB



SF Limited
 Pottington Business Park
 Barnstaple, Devon EX31 1LZ
 Tel: 01271 326 633
 Fax: 01271 334 303
 Web: www.sflchimneys.com
 Email: info@sflchimneys.com



100% Manufactured in the UK

LIT NOVA BLACK 05/15

Every effort is made to ensure accuracy at time of going to press, however as part of our ongoing policy of continual product development we reserve the right to alter specifications without prior notice.

NOVA®

Smooth Satin Black Finish

UK PRICE LIST 1ST MAY 2015 (GBP)

TWIN WALL, INSULATED, STAINLESS STEEL MULTI-FUEL CHIMNEY SYSTEM (Including Condensing Appliances)

BS EN 1856-1 T450 N1 D V2 L50050 G(50)

BS EN 1856-1 T200 P1 W V2 L50050 O(50) (Seals Required)

FOR NOVA SIZES 100MM-150MM, PLEASE REFER TO PAGES 1-3 OF THIS PRICELIST

DESCRIPTION	Vertical Code	180mm 7"	200mm 8"	250mm 10"	300mm 12"	350mm 14"
STARTING COMPONENTS						
Appliance Adaptor	45785	58.42	63.20	68.26	78.53	81.25
Appliance Adaptor (Imperial)	45784	48.51	-	-	-	-
Supra / Nova Adaptor	45796	74.31	81.93	83.02	87.10	99.14
Horizontal Code		07NB	08NB	10NB	12NB	14NB

LENGTHS

Length 1000 mm	45750	244.06	269.92	303.92	376.78	404.73
Length 500 mm	45751	179.08	192.93	208.77	240.04	278.34
Length 250 mm	45719	126.62	136.70	141.69	152.31	166.16
Length 120 mm	45753	97.29	107.77	109.12	116.26	121.67
Starter Length - 996mm	45704	212.30	214.87	-	-	-
Adjustable Length - Long 310 - 500mm (For P1/W 100ID - 250ID, add 2off 40063xx seals)	45746	195.61	214.81	250.52	391.91	415.84
Adjustable Length - Short 210 - 320mm (For P1/W 100ID - 250ID, add 2off 40063xx seals)	45766	188.09	207.02	234.50	364.02	364.08
Damper Length - 250mm Long	45740	197.24	208.50	218.86	271.27	286.51
Horizontal Code		07NB	08NB	10NB	12NB	14NB

TEES / ELBOWS / COMPONENTS

90° Tee	45730	306.83	334.54	420.67	753.53	797.34
95° Tee	45764	328.66	361.93	434.54	766.86	814.53
135° Tee	45765	518.68	557.51	649.10	888.30	944.30
135° Tee (N1/Dry Systems Only)	45701	467.61	513.79	589.62	722.16	857.04
Locking Plug	45791	121.08	132.39	149.07	155.07	170.30
Condensate Collector (Drain Tee Cap)	45769	135.34	141.34	165.81	173.06	185.34
Elbow 15°	45754	170.06	187.03	199.41	289.77	305.34
Elbow 30°	45755	170.06	187.03	199.41	289.77	305.34
Elbow 40°	45756	170.06	187.03	199.41	289.77	305.34
Elbow 45°	45757	170.06	187.03	199.41	289.77	305.34
Elbow 85°	45758	280.36	308.54	354.50	384.83	417.02
Elbow 90°	45759	281.62	298.40	348.96	375.76	405.51
Horizontal Code		07NB	08NB	10NB	12NB	14NB

TERMINALS

Top Stub	45708	71.59	87.16	95.02	117.94	137.55
Top Stub c/w Mesh	45707	156.59	162.64	190.76	309.66	360.25
Round Top	45731	135.69	150.90	162.46	173.48	195.35
Rain Cap	45773	90.71	112.19	153.61	208.08	270.38
Storm Cowl	45787	117.31	124.51	140.09	-	-
Storm Cowl c/w Mesh	45789	123.72	132.95	152.75	-	-
Gas Terminal	45524	138.61	146.82	192.18	212.41	255.23
Horizontal Code		07B	08B	10B	12B	14B

SUPPORT & BRACING COMPONENTS

Support Plate - Galvanised (includes Support Length)	45714	235.69	264.51	266.46	356.78	379.23
Support Plate - Stainless Steel (includes Support Length)	45717	272.99	305.62	339.89	409.89	434.67
Anchor / Lintel / Pre-Cast Chamber Support Plate c/w 32mm Single Skin Tail	45775	133.43	148.26	179.64	231.56	238.00
Support Length / Guy Attachment Length	45788	184.56	207.76	226.74	286.31	300.56
Horizontal Code		07NB	08NB	10NB	12NB	14NB
Locking Band - Standard	45786	11.20	11.66	12.30	12.66	13.57
Locking Band - Screw Toggle (for Elbows/135° Tees)	45786xxMTB	11.01	11.24	11.97	-	-
Wall Support Bracket - Galvanised (includes Support Length)	45722	194.66	211.66	238.10	282.77	299.94
Wall Support Bracket - Stainless Steel (includes Support Length)	45723	286.26	311.68	321.48	333.25	360.04
Horizontal Code		07B	08B	10B	12B	14B

DESCRIPTION	Vertical Code	180mm 7"	200mm 8"	250mm 10"	300mm 12"	350mm 14"
-------------	---------------	-------------	-------------	--------------	--------------	--------------

PICK & MIX SUPPORT SYSTEM

Wall Band / Universal Wall Guide Assembly	31095	54.42	57.93	65.68		
Support Plate Set	31097	61.41	66.37	78.84		
Horizontal Code		18B	20B	25B		

Support Length / Guy Attachment Length	45788	184.56	207.76	226.74		
Horizontal Code		07NB	08NB	10NB		

Universal Extension Bracket Set (for 31095xx Wall Guide)	31093	42.94	46.74	54.73		
Universal Bracing Bracket Set (for 31095xx Wall Guide)	31094	57.70	59.59	60.36		
Horizontal Code		STB	MDB	LGB		

*Please see Nova brochure for Pick & Mix Support System product information

MISCELLANEOUS FITTINGS

Concentric/Eccentric Increases

Concentric Increaser 150ID - 180ID	4573606NB	154.06				
Concentric Increaser 180ID - 200ID	4573607NB	160.55				
Concentric Increaser 200ID - 250ID	4573608NB	165.46				
Concentric Increaser 150ID - 200ID	4573706NB	158.93				

COMMON COMPONENTS

Penetration Components for Solid Fuel & Oil ≥ 250°C

Roof / Rafter Support (New Design)	70726	91.61	92.03	93.04	94.13	95.22
Ventilated Ceiling Support	70727xxZB	155.14	156.99	174.26	193.76	199.39
Ventilated Firestop Spacer	55083	106.25	123.82	162.99	180.22	167.41
Horizontal Code		18B	20B	25B	30B	35B

Penetration Components for Oil & Gas ≤ 250°C

Ceiling Support	45027	58.64	88.32	100.75	115.13	137.22
Firestop Spacer	45087	10.80	12.81	13.20	15.91	28.90
Horizontal Code		07B	08B	10B	12B	14B

Wall Band - Stainless Steel (for internal & external use)	3115	41.80	42.83	48.07	51.07	54.12
Wall Band - Galvanised (for internal use only)	3116	33.84	34.31	35.11	36.44	37.75
Horizontal Code		234B	255B	305B	355B	405B

Wall Band Side Extension Brackets - Stainless Steel	3119	23.06	23.06	31.93	45.53	45.53
Wall Band Side Extension Brackets - Galvanised	3120	21.14	21.14	26.46	40.60	40.60
Horizontal Code		136B	136B	180B	245B	245B

(min/max extension varies by internal diameter - see brochure for further details)

Adjustable Split Bands	3123	61.82	63.87	66.15	66.78	76.49
Horizontal Code		230B	250B	300B	350B	400B

Roof Support	0102900B	89.56				
Intumescent Sealant (310ml) (Solid Fuel / Oil > 250°C) - NOT Painted	0199900	14.43				
Seal Lubricant Compound (250ml) - NOT Painted	3107500	25.77				

DESCRIPTION	Vertical Code	180mm 7"	200mm 8"	250mm 10"	300mm 12"	350mm 14"
-------------	---------------	-------------	-------------	--------------	--------------	--------------

Joint Seals - NOT Painted

Joint Sealing Ring (For P1 / W Applications 180ID & 200ID)	40063	2.72	2.93	3.43	-	-
Joint Sealing Ring (For P1 / W Applications 300ID & 350ID)	40064	-	-	-	6.80	6.80
Adjustable Length Joint Sealing Ring (For P1 / W Applications 300ID & 350ID)	40065	-	-	-	21.53	22.63
Horizontal Code		18	20	25	30	35

ANCILLARIES

Storm Collar - Stainless Steel	45041	62.26	63.23	-	-	-
Trim Collar - Stainless Steel	45832	34.53	36.85	43.41	48.88	55.44
Horizontal Code		07B	08B	10B	12B	14B

0° - 10° Angled Wall Cover Ring	55712	44.02	47.36	56.22	-	-
10° - 20° Angled Wall Cover Ring	55713	44.02	47.36	56.22	-	-
20° - 30° Angled Wall Cover Ring	55700	44.02	47.36	58.19	-	-
30° - 40° Angled Wall Cover Ring	55703	44.02	47.36	56.22	-	-
40° - 50° Angled Wall Cover Ring	55702	48.73	51.57	60.29	-	-
Horizontal Code		18NB	20NB	25NB	30NB	35NB

DESCRIPTION	Vertical Code	180mm 7"	200mm 8"	250mm 10"	300mm 12"	350mm 14"
-------------	---------------	-------------	-------------	--------------	--------------	--------------

FLASHINGS

Alloy Flashings & Storm Collar

Flat Flashing	700000	60.76	64.56	88.56	94.47	101.59
5° - 30° Adjustable Flashing (Low Pitched Roofs)	700530	60.76	64.56	88.56	94.47	146.58
32° - 45° Adjustable Flashing (High Pitched Roofs)	703245	83.54	87.33	108.82	125.33	153.60
Storm Collar (Supplied with Sealant)	701234	31.33	33.24	37.97	42.54	44.19
Horizontal Code		10B	11B	12B	13B	14B

Eco-Pro Flashings (see brochure for more information) - NOT Painted

5° - 30° Adjustable Flashing (Low Pitched Roofs) - NOT Painted	700530	250.92	274.16	282.50	305.26	313.71
32° - 45° Adjustable Flashing (High Pitched Roofs) - NOT Painted	703245	266.91	275.26	366.93	375.29	392.77
Horizontal Code		10P	11P	12P	13P	14P

Seldek Flashings - NOT Painted

Seldek Flashing No.1 (to suit 55mm - 150mm external diameter)	4901015	44.11
Seldek Flashing No.2 (to suit 110mm - 200mm external diameter)	4901020	61.46
Seldek Flashing No.3 (to suit 160mm - 300mm external diameter)	4901030	115.06
Seldek Flashing No.4 (to suit 300mm - 450mm external diameter)	4901045	179.63

Note: A BLACK Locking band is supplied complete with all components where necessary

Use Product Codes when ordering - combine Vertical Code with Horizontal Code.

e.g. Length 1000mm, size 250mm, Vertical Code 45750, Horizontal Code 10N, Product Code 4575010N



SF Limited
Pottington Business Park
Barnstaple, Devon EX31 1LZ
Tel: 01271 326 633
Fax: 01271 334 303
Web: www.sflchimneys.com
Email: info@sflchimneys.com



100% Manufactured in the UK

LIT NOVA BLACK 05/15

Every effort is made to ensure accuracy at time of going to press, however as part of our ongoing policy of continual product development we reserve the right to alter specifications without prior notice.